Technical Data Sheet

Four Quadrant Si PIN Photodiode: PDA5928

■ Features

- . 4 photodiodes
- . Quadrant element format
- . Fast response time
- . High photo sensitivity
- . Pb free
- . The product itself will remain within RoHS compliant version.




PDA5928 is an array of 4 high sensitive and high speed silicon photodiodes mounted on PCB.


■ Applications

- . Position sensing
- . Displacement monitoring
- . Track and Explore
- . Laser beam axis alignment




■ Package Dimensions






Note: 1. All dimensions are in millimeters(inches)

2. Tolerances unless dimensions ± 0.25mm (.01")





- ② ③ ⑥ ⑦ Anode
- 1 4 5 8 Cathode

■ Absolute Maximum Ratings (Ta=25°C)


Parameter	Symbol	Rating	Units	
Reverse Voltage	VR	30	V	
Power Dissipation	Pd	150	mW	
Lead Soldering Temperature	Tsol	260	°C	
Operating Temperature	Topr	-20 ~ +85	°C	
Storage Temperature	Tstg	-40 ~ +85	°C	

Electro-Optical Characteristics (Ta=25°C) (For per element)

Parameter	Symbol	Condition	Min.	Typ.	Max.	Units
Range of Spectral	λ 0.5		420		1100	
Bandwidth			430		1100	nm
Wavelength of Peak	λp			0.40		
Sensitivity				940		nm
Open-Circuit Voltage	Voc	Note(1)		0.32		V
Short- Circuit Current	Isc	Note(1)		20		μА
Reverse Light Current	IL	Note(1) V _R =5V		20		μА
Dark Current	Id	Ee=0m W/cm2			10	
		$V_R=10V$				nA
Reverse Breakdown Voltage	BVR	Ee=0m W/cm2	30			V
		I _R =100 μ A				
Total Capacitance	Ct	Ee=0m W/cm2				
		$V_R=3V$		15		pF
		f=1MHZ				
Rise/Fall Time	t _r /t _f	V _R =10V		30/30		
		$R_L=1K\Omega$				nS

Note(1):Parallel light of 1000 Lux illumination is applied by a Tungsten lamp of 2856K

Typical Electro-Optical Characteristics Curves






Fig.2

Spectral Sensitivity

20 100 300 500 700 900 1100 1300

Wavelength(nm)

SHENZHEN SHUGUAN ELECTRONIC TECHNOLOGY CO.,LTD. V1.0 2022.07.29

Fig.3 Dark Current vs. **Ambient Temperature**




Fig.4 Reverse Light Current vs.




Fig.5 Terminal Capacitance vs. Reverse Voltage





Fig.6 Response Time vs. Load Resistance





■ Notes

- 1. Above specification may be changed without notice. SHUGUAN will reserve authority on material change for above specification.
- 2. When using this product, please observe the absolute maximum ratings and the instructions for using outlined in these specification sheets. SHUGUAN assumes no responsibility for any damage resulting from use of the product which does not comply with the absolute maximum ratings and the instructions included in these specification sheets.
- 3. These specification sheets include materials protected under copyright of SHUGUAN corporation. Please don't reproduce or cause anyone to reproduce them without SHUGUAN's consent.
- 4. This products is bare chip products (wafers or diced chips), Unsealed products are not protected by an external enclosure and so require especially strict care to prevent physical breakage or contamination. It has protective tape, which is removed prior to use.
- 5. Condensation may form on the chip surface in environments subject to sharp or sudden fluctuations in temperature, so avoid use in such locations.
- 6. Applying excessive force to the product using a printed circuit board may cause the board to warp. This warping may damage the chip, wires connections, so use caution.
- 7. Do not let anything come in contact with the chip surface. Though the chip is hard, it is also brittle an easily notched. Sharped or hard items that come in contact with the chip may case cracks or scratches, which can lead to fluctuations in electrical characteristics or poor device reliability. Treat any products that were dropped as defect parts and dispose of them.