

Report No.: TCT180919C019 Date: Oct. 18, 2018 Page No.: 1 of 8

Applicant: Shenzhen Shuguan Electronic Technology Co.,Ltd.

Address: No.110 , Tenglong Industrial Zone, Guanhu Street, Longhua District,

Shenzhen City, P.R.C

The following sample was submitted and identified by/on behalf of the client as:

Sample Name: SIR/SGPD/SGPT/PD/PT SERIES
Client Reference Information: SIR/SGPD/SGPT/PD/PT SERIES

Sample Received Date: 2018.09.19

Testing Period: 2018.09.19—2018.10.18

Test Requested: As specified by client, to determine the Pb, Cd, Hg, Cr(VI), PBBs,

PBDEs, DBP, BBP, DEHP, DIBP content(s) in the submitted sample.

Test Method: Please refer to the following page(s).

Test Result(s): Please refer to the following page(s).

Conclusion: Base upon the performed tests by submitted sample, the test results

comply with the limits as set by Directive (EU) 2015/863 - Amendment of

EU RoHS Directive 2011/65/EU (RoHS 2.0) Annex II.

Checked by

Noel Yin

Signed for and on behalf of

Kim Zhang

Technical Manager



Report No. : TCT180919C019 Date : Oct. 18, 2018 Page No.: 2 of 8

Test Results:

Pb, Cd, Hg, Cr(VI) Content(s)

NIa	Test	Test	11:4	MDI	Results	1 :!4
No.	Items	Methods	Unit	MDL	7	Limit
1	Pb	M1	mg/kg	2	N.D.	1000
2	Hg	M2	mg/kg	2	N.D.	1000
3	Cd	M1	mg/kg	2	N.D.	100
4	Cr (VI) ▼	M3	ug/cm ²	0.10	N.D.	(z-c^)

Specimen Description:

7. Silvery color metal pin

Note: - MDL = Method Detection Limit.

"-" = Not Regulated.

N.D. = Not detected, less than MDL.

- 1mg/kg = 1ppm = 0.0001%

_ M1: With reference to IEC62321-5:2013, Analysis was performed by ICP-OES.

M2: With reference to IEC62321-4:2013, Analysis was performed by ICP-OES.

M3: With reference to IEC62321-7-1:2015, Analysis was performed by UV-VIS.

- ∇ = a. When the Cr (VI) concentration is > the 0,13 μg/cm², the sample is positive for Cr(VI) and considered to contain Cr(VI).

b. When the Cr (VI) concentration is N.D.(< the $0,10 \mu g/cm^2$), the sample is negative for Cr(VI) and considered a non-Cr(VI) based coating.

c. When the Cr (VI) concentration is \geq the 0,10 µg/cm² and \leq the 0,13 µg/cm², the result is considered to be inconclusive - Unavoidable coating variations may influence the determination.

Sample for Pb, Cd and Hg testing was completely dissolved.

1B/F., Building 1, Yibaolai Industrial Park, Qiaotou, Fuyong, Baoan District, Shenzhen, Guangdong, China
Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 http://www.tct-lab.com



Report No.: TCT180919C019 Date: Oct. 18, 2018 Page No.: 3 of 8

Pb, Cd, Hg, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP Content(s)

Tested Item(s)	Test Method/Instrument	MDL Un	Linit	Limit	Result(s)	
resteu itemi(s)	rest Method/Instrument	IVIDL	Unit	Limit	1 (2
Lead(Pb)	IEC62321-5:2013/ICP-OES	2	mg/kg	1000	N.D.	N.D.
Cadmium(Cd)	IEC62321-5:2013/ICP-OES	2	mg/kg	100	N.D.	N.D.
Mercury(Hg)	IEC62321-4:2013+AMD1:2017 /ICP-OES	2	mg/kg	1000	N.D.	N.D.
Hexavalent Chromium(Cr(VI))	IEC 62321-7-2:2017/UV-VIS	2	mg/kg	1000	N.D.	N.D.
Sum of PBBs		-	mg/kg	1000	N.D.	N.D.
Monobromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Dibromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg		N.D.	N.D.
Tribromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg	(20)	N.D.	N.D.
Tetrabromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Pentbromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Hexabromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Heptabromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Octabromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Nonabromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg	(-0)	N.D.	N.D.
Decabromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Sum of PBDEs		-	mg/kg	1000	N.D.	N.D.
Monobromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Dibromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Tribromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Tetrabromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	(-0)	N.D.	N.D.
Pentabromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Hexabromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Heptabromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Octabromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Nonabromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Decabromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	(-6)	N.D.	N.D.
Dibutyl Phthalate (DBP)	IEC62321-8:2017/GC-MS	30	mg/kg	1000	N.D.	N.D.
Benzylbutyl Phthalate (BBP)	IEC62321-8:2017/GC-MS	30	mg/kg	1000	N.D.	N.D.
Bis-(2-ethylhexyl) Phthalate (DEHP)	IEC62321-8:2017/GC-MS	30	mg/kg	1000	N.D.	N.D.
Diisobutyl Phthalate (DIBP)	IEC62321-8:2017/GC-MS	30	mg/kg	1000	N.D.	N.D.



Report No.: TCT180919C019 Date: Oct. 18, 2018 Page No.: 4 of 8

	,					
Tootad Itam(a)	Test Method/Instrument	MDL	Unit	1 100 14	Result(s)	
Tested Item(s)	rest wethod/instrument	WIDL	Offic	Limit	3	4
Lead(Pb)	IEC62321-5:2013/ICP-OES	2	mg/kg	1000	N.D.	N.D.
Cadmium(Cd)	IEC62321-5:2013/ICP-OES	2	mg/kg	100	N.D.	N.D.
Mercury(Hg)	IEC62321-4:2013+AMD1:2017 /ICP-OES	2	mg/kg	1000	N.D.	N.D.
Hexavalent Chromium(Cr(VI))	IEC 62321-7-2:2017/UV-VIS	2	mg/kg	1000	N.D.	N.D.
Sum of PBBs		-	mg/kg	1000	N.D.	N.D.
Monobromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Dibromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Tribromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg		N.D.	N.D.
Tetrabromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg	(40)	N.D.	N.D.
Pentbromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Hexabromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Heptabromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Octabromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Nonabromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg		N.D.	N.D.
Decabromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg	(<u>L</u> C)	N.D.	N.D.
Sum of PBDEs	-	-	mg/kg	1000	N.D.	N.D.
Monobromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Dibromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Tribromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Tetrabromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Pentabromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	(-C)	N.D.	N.D.
Hexabromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Heptabromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Octabromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Nonabromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Decabromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Dibutyl Phthalate (DBP)	IEC62321-8:2017/GC-MS	30	mg/kg	1000	N.D.	N.D.
Benzylbutyl Phthalate (BBP)	IEC62321-8:2017/GC-MS	30	mg/kg	1000	N.D.	N.D.
Bis-(2-ethylhexyl) Phthalate (DEHP)	IEC62321-8:2017/GC-MS	30	mg/kg	1000	N.D.	N.D.
Diisobutyl Phthalate (DIBP)	IEC62321-8:2017/GC-MS	30	mg/kg	1000	N.D.	N.D.



Report No.: TCT180919C019 Date: Oct. 18, 2018 Page No.: 5 of 8

	,			0		
Tootad Itam(a)	Test Method/Instrument	MDL	Unit	1 100 14	Result(s)	
Tested Item(s)	rest method/instrument	MIDL	Offic	Limit	5	6
Lead(Pb)	IEC62321-5:2013/ICP-OES	2	mg/kg	1000	N.D.	N.D.
Cadmium(Cd)	IEC62321-5:2013/ICP-OES	2	mg/kg	100	N.D.	N.D.
Mercury(Hg)	IEC62321-4:2013+AMD1:2017 /ICP-OES	2	mg/kg	1000	N.D.	N.D.
Hexavalent Chromium(Cr(VI))	IEC 62321-7-2:2017/UV-VIS	2	mg/kg	1000	N.D.	N.D.
Sum of PBBs		-	mg/kg	1000	N.D.	N.D.
Monobromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Dibromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Tribromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg		N.D.	N.D.
Tetrabromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg	(40)	N.D.	N.D.
Pentbromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Hexabromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Heptabromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Octabromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Nonabromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg	-/.	N.D.	N.D.
Decabromobiphenyl	IEC62321-6:2015/GC-MS	5	mg/kg	(<u>L</u> C)	N.D.	N.D.
Sum of PBDEs	-	-	mg/kg	1000	N.D.	N.D.
Monobromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Dibromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Tribromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Tetrabromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Pentabromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	(-C)	N.D.	N.D.
Hexabromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Heptabromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Octabromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Nonabromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Decabromodiphenyl ether	IEC62321-6:2015/GC-MS	5	mg/kg	-	N.D.	N.D.
Dibutyl Phthalate (DBP)	IEC62321-8:2017/GC-MS	30	mg/kg	1000	N.D.	N.D.
Benzylbutyl Phthalate (BBP)	IEC62321-8:2017/GC-MS	30	mg/kg	1000	N.D.	N.D.
Bis-(2-ethylhexyl) Phthalate (DEHP)	IEC62321-8:2017/GC-MS	30	mg/kg	1000	N.D.	N.D.
Diisobutyl Phthalate (DIBP)	IEC62321-8:2017/GC-MS	30	mg/kg	1000	N.D.	N.D.



Report No. : TCT180919C019 Date : Oct. 18, 2018 Page No.: 6 of 8

Specimen Description:


- 1. Transparent sample
- 2. Transparent sample
- 3. Transparent sample
- 4. Transparent sample
- 5. Transparent sample
- 6. Transparent sample

Note: - MDL = Method Detection Limit

- N.D. = Not Detected(<MDL)
- 1mg/kg = 1ppm = 0.0001%
- "-" = Not Regulated
- Sample for Pb, Cd and Hg testing was completely dissolved

FLOW CHART

1. Test for Pb, Hg, Cd Content




Sample Material	Digestion Acid	
Glass	HNO3/HF	
Plastic	H2SO4, H2O2, HNO3, HCI	
Others	Any acid to total digestion.	

1B/F., Building 1, Yibaolai Industrial Park, Qiaotou, Fuyong, Baoan District, Shenzhen, Guangdong, China Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 http://www.tct-lab.com




Report No.: TCT180919C019 Date: Oct. 18, 2018 Page No.: 7 of 8


2.1 Test for Chromium(VI) Content(Metal)



2.2 Test for Chromium(VI) Content(Others)




3. Test for PBBs & PBDEs, DBP, BBP, DEHP, DIBP Content





Report No.: TCT180919C019 Date: Oct. 18, 2018 Page No.: 8 of 8

Photo(s) of the sample(s)



*** End of Report ***

Remark: This report is considered invalidated without the Special Seal for Inspection of the TCT. This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of TCT, this test report shall not be copied except in full and published as advertisement.